

DHS2460 HEVC& AVC HDMI+ BNC+AV+ 4K IP Decoder



1port ip input, 1port HDMI& 1port BNC/CVBS/AV/AUDIO output, 1ch audio output.

Completely support 4K 60, 1080p 60 (No fluctuating)

Support H.264/ H.265 RTMP/ RTSP/ RTP/ HTTP/ HLS/ UDP, MPEG2, MPEG4 decode.

Key features:

- ◆ Embedded hardware
- ◆ Support 4 screens at the same time
- ◆ Support RS485 output, IO Input/Output
- ◆ Control multi encoder based on one computer
- ◆ H.264/ H.265, RTMP/ RTSP/ RTP/ HTTP/ HLS/ UDP/P2P input
- ◆ Output: HDMI+ BNC+ AV
- ◆ Up to 4K 60 FPS output
- ◆ Support rtsp/ http/ udp/ rtmp/ hls/ rtp/SRT
- ◆ Multi-IP In (1. 4).
- ◆ Output Up to HDMI 2.0
- ◆ low consumption

Specification

Model	DHS2460 HEVC & AVC HDMI+ BNC 4K decoder	
Output	1×HDMI, 1×BNC, 1×audio, 1×AV	
Input	IP(RTMP/ RTSP/ RTP/ HTTP/ HLS/ UDP), MPEG2, MPEG4	
Video	Output Resolution	up to 4K 60 (NO fluctuating)
	Decoding	H.264/H.265/MPEG-1/MPEG-2/MPEG-4/VP8/VP9/AVS/AVS+
	IP IN	1, 4
	Protocol	rtsp/ http/ udp/ rtmp/ hls/ rtp/P2P/SRT
AUDIO	Output	1×3.5mm independent audio/ HDMI embedded audio
	Format	AAC/MP3/G.711
IP Input	1× RJ 100M/1000M, TCP, UDP	
System	Configure	IE, remote upgrade
	Power	5V~2A
	Consumption	5W
	Size	119mm x 102mm x 42mm
	working temperature	-20°C+ 60°C
	working humidity	<90%
	Weight	0.3KG